

# NEW Products



## Broan® Ultra Silent™ QTRE Fans

Broan® Ultra Silent™ QTRE fans effectively and efficiently improve the indoor air quality of homes and meet requirements of three major green building programs: ENERGY STAR®, LEED® and NAHB. These fans powerfully ventilate 80 to 110 CFM and have a Sone level ranging from 0.8 to 1.3. The installation-friendly hanger bar system works well for all types of construction. [www.broan.com](http://www.broan.com)  
For more information, circle #N2 on the reader service card.

## Appleton's Mercmaster™ 100,000-hour Induction Lighting Line

Appleton's Mercmaster™ 100,000-hour induction lighting line offers 55, 85, and 165-watt luminaires. Rated for NEC Class I Division 2 locations, Mercmaster III induction luminaires deliver 100,000 hours of virtually maintenance-free operation. Rugged construction and corrosion-resistant materials also suit non-hazardous locations that contain extreme weather, excessive moisture, dirt, and corrosive environments. Fixtures operate safely in temperature ranges from 40° C to as low as -40° C and provide excellent lamp depreciation with 70 percent of initial lumen output even after 60,000 hours.

[www.appletonelec.com](http://www.appletonelec.com)

For more information, circle #N1 on the reader service card.



## New Components to Eaton's Structured Wiring Line

Three components have been added to Eaton's Structured Wiring line. The latest A-BUS direct speakers have volume control placed in the speaker—and no longer on the wall. A new video quad processor allows users to view four cameras on one channel and comes with a remote. The updated router has eight ports instead of four, allowing for enhanced networking. [www.eaton.com/electrical](http://www.eaton.com/electrical)  
For more information, circle #N3 on the reader service card.

## Hubbell Line Voltage Ceiling Occupancy Sensors

Hubbell is pleased to announce the availability of seven new H-MOSS® line voltage ceiling occupancy sensors, ideal for retrofit applications where concrete walls and inaccessible ceilings are present. These new occupancy sensors enable installers to utilize existing line voltage wiring and eliminate the need to use power packs and additional low-voltage wiring.

[www.hubbell-wiring.com](http://www.hubbell-wiring.com)

For more information, circle #N4 on the reader service card.



## Leviton's new GreenPack™


Leviton's new GreenPack™ contains 24 lead-free connectors in individual pockets. Clear, easy-open pockets allow you to pop out just one connector at a time and see how many you have left.

- CAT 5e/5e+/6 connectors
- Less jobsite waste
- Recyclable packaging
- Easy-to-see inventory
- RoHS compliant

[www.leviton.com](http://www.leviton.com)

Now available at your local Rexel branch.

For more information, circle #N5 on the reader service card.



# NEW Products



## **Silhouette Low-profile Alarms by Kidde**

Silhouette smoke and carbon monoxide alarms can more than pay for themselves over their lifetime, as their self-charging battery eliminates the need for battery changes. These revolutionary alarms protrude only a half-inch, allowing them to blend beautifully with any decor. Installation is easy with the pre-stripped wiring harness.

[silhouette.kidde.com](http://silhouette.kidde.com)

For more information, circle #N6 on the reader service card.



## **New EZ Dim Compact Fluorescent Fixture**

Elite Lighting's New EZ Dim Compact Fluorescent fixture is the perfect solution for dimming applications where cost is a key factor to consider. Our new fixture is able to dim down to 15 percent of total light output by using a basic incandescent dimmer. If combined with our patented B725 trim, this fixture gives the appearance of an incandescent R40 lamp but has the energy savings you've always wanted.

[www.iuseelite.com](http://www.iuseelite.com)

For more information, circle #N7 on the reader service card.



## **Kick Plate Exit Sign**

BradyGlo™ Kick Plate Exit Signs are ideal for low-level mounting on doors.

Our kick plates are UL 924 Listed and compliant with NFPA 101 Life Safety Code, the 2009 International Building Code, and most other building codes. [www.bradyid.com](http://www.bradyid.com)

For more information, circle #N8 on the reader service card.



## **Southwire's® SIMpull THHN® cable with Alumaflex® conductors**

The only available aluminum THHN cable that can be pulled without lubricant and is extremely durable and resistant to tears. NoLube® means less set up and clean up time, and less material and equipment than a typical "lubed" pull. Aluminum costs less than copper and is less than one-half the weight. [www.southwire.com](http://www.southwire.com)

For more information, circle #N9 on the reader service card.

## **Fluke 411D Laser Distance Meter**

Want to determine the distance between two objects? Need to calculate area or volume? Let the Fluke Laser distance meter do the work for you. Introducing the new Fluke 411D Laser Distance Meter, a professional-grade laser distance meter—it is fast, easy to use, and fits on your tool belt. This meter will save you effort and money by reducing measurement time and errors! [www.fluke.com](http://www.fluke.com)

For more information, circle #N10 on the reader service card.



## **T12 Electronic Ballast with IntelliVolt®**

In less than 18 months, the Energy Policy Act of 2005 will make magnetic T12 ballasts obsolete—make the switch today! With the ICN-2S40-N electronic ballast with IntelliVolt technology, one ballast is all you need, no matter which input voltage is required.

- Carry less inventory
- Operates 34W and 40W T12 lamps for maximum versatility
- Smaller, lighter housing means easier handling and installation

[www.philips.com/advance](http://www.philips.com/advance)

For more information, circle #N11 on the reader service card.



NEW  
**Products**



**Schneider Electric  
Square D® Brand  
MD50**

The new UL 508-listed Square D® brand MD50 motor disconnect switch from Schneider Electric provides reliable, safe, and quick power connections in industrial facilities, and prevents process interruption by cutting power to a motor if necessary while not affecting the main circuit. IEC 60309-compliant technology helps the Square D brand MD50 increase safety on a plant floor.

[www.schneider-electric.com](http://www.schneider-electric.com)  
For more information, circle #N13 on the reader service card.

**RAB Launches  
New Tallpack**

The RAB Tallpack is now greener and better than ever with a unique, new patented design. Available in 28-42 watt CFL and 35-70 watt HPS. The Tallpack includes an easy-to-adjust Glare Shield and a photocell for automatic dusk to dawn operation.

[www.rabweb.com](http://www.rabweb.com)  
For more information, circle #N12 on the reader service card.



**Watt Stopper 0-10V  
Wall Box Controller**

As part of Watt Stopper's line of Miro® Controls, the new DRLV1 is a versatile 0-10 volt wall box controller that can be used to dim or switch lighting loads or raise and lower shades. It's the first such device to include an input allowing automatic control by an occupancy sensor when used for lighting control. The device is RF-enabled and is also the first 0-10 volt wall box controller that can be incorporated into a wireless scene control system.

[www.wattstopper.com](http://www.wattstopper.com)  
For more information, circle #N14 on the reader service card.



**Siemens new Power  
Mod™ Modular  
Metering Line**

Siemens introduces Power Mod™ with QuickSystem™—a new robust and feature-rich line of modular metering products to meet applications for virtually every need. Power Mod™ includes a unique combination of labor-saving features to aid the contractor while installing the product. QuickSystem™ encompasses every step of installation of the product: From mounting the product on the wall to plugging in the tenant circuit breaker, these features were specifically engineered to decrease installation time.

[www.sea.siemens.com/powermod](http://www.sea.siemens.com/powermod)  
For more information, circle #N15 on the reader service card.



**Greenlee's New  
CS-8000 Circuit  
Seeker™ Circuit  
Tracer**

Greenlee's new CS-8000 Circuit Seeker™ Circuit Tracer is a multi-functional tracer with the latest technology for circuit tracing and panel/breaker locating. A key feature is its patented non-directional sensing technology, saving the user from continually orientating the receiver while tracing a conductor on a non-linear path. The product can switch to manual gain, providing for greater sensitivity control when a traced signal varies along a conductor's path.

[www.greenlee.com](http://www.greenlee.com)  
For more information, circle #N16 on the reader service card.

